

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BUZ® WINDOWMASTER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

EuPCS: PC-CLN-7 Glass/window/mirror cleaning products (excludes windscreens)

Process categories [PROC]: 8, 10

1.3. Details of the supplier of the safety data sheet

| | | |
|-----------------|---------------------------------|-------------------------------|
| Company name: | BUZIL-WERK Wagner GmbH & Co. KG | |
| Street: | Fraunhofer Str. 17 | |
| Place: | D-87700 Memmingen | |
| Telephone: | +49 (0) 8331 930-6 | Telefax: +49 (0) 8331 930-880 |
| e-mail: | info@buzil.de | |
| Contact person: | info@buzil.de | |
| Internet: | www.buzil.com | |

1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Regulation (EC) No. 1272/2008

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Special labelling of certain mixtures

EUH208 Contains Methylchloroisothiazolinone, Methylisothiazolinon. May produce an allergic reaction.
EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 2 of 10

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|--|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 97489-15-1 | sodium alkyl sulfonate | | | 1 - < 5 % |
| | 307-055-2 | | 01-2119489924-20 | |
| | Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318 | | | |
| 64-17-5 | ethanol | | | 1 - < 5 % |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H319 | | | |
| 68891-38-3 | sodium laureth sulfate | | | 1 - < 5 % |
| | | | 01-2119488639-16 | |
| | Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|---|-----------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 97489-15-1 | 307-055-2 | sodium alkyl sulfonate | 1 - < 5 % |
| | | inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Skin Irrit. 2; H315: >= 10 - 100 Eye Dam. 1; H318: >= 15 - 100 Eye Irrit. 2; H319: >= 10 - < 15 | |
| 64-17-5 | 200-578-6 | ethanol | 1 - < 5 % |
| | | inhalation: LC50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100 | |
| 68891-38-3 | | sodium laureth sulfate | 1 - < 5 % |
| | | inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 5 - < 10 | |

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % anionic surfactants, < 5 % polycarboxylates, < 5 % amphoteric surfactants, perfumes, preservation agents (Methylchloroisothiazolinone/methylisothiazolinone).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.
Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 3 of 10

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet
alcohol resistant foam
Carbon dioxide
Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:
Carbon dioxide
Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Use personal protection equipment.
Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes.
Do not mix with other chemicals.
Use personal protection equipment.
When using do not eat, drink or smoke.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 4 of 10

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

There are no data available on the mixture itself.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|---------|-----------|------|-------------------|-----------|-----------|--------|
| 64-17-5 | Ethanol | 1000 | 1920 | | TWA (8 h) | WEL |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|------------------------|----------------|----------|------------------------|
| 97489-15-1 | sodium alkyl sulfonate | | | |
| Worker DNEL, long-term | | dermal | systemic | 5 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | systemic | 35 mg/m ³ |
| Worker DNEL, acute | | dermal | local | 2,8 mg/cm ² |
| Worker DNEL, long-term | | dermal | local | 2,8 mg/cm ² |
| Consumer DNEL, acute | | dermal | local | 2,8 mg/cm ² |
| Consumer DNEL, long-term | | dermal | systemic | 3,57 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 12,4 mg/m ³ |
| Consumer DNEL, long-term | | oral | systemic | 7,1 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | local | 2,8 mg/cm ² |

PNEC values

| CAS No | Substance | Value |
|--|------------------------|------------|
| 97489-15-1 | sodium alkyl sulfonate | |
| Freshwater | | 0,04 mg/l |
| Marine water | | 0,004 mg/l |
| Freshwater sediment | | 9,4 mg/kg |
| Marine sediment | | 0,94 mg/kg |
| Soil | | 9,4 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 600 mg/l |

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing.
Wash hands before breaks and after work.
When using do not eat, drink or smoke.

Eye/face protection

Eye protection: not required.

Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 5 of 10

Suitable material: NBR (Nitrile rubber).

Thickness of the glove material $\geq 0,1$ mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions $\leq 1\%$:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respirative protection necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|----------------------|
| Physical state: | Liquid |
| Colour: | blue |
| Odour: | Perfumes, fragrances |

pH-Value (at 20 °C): 6,0 - 7,0

Changes in the physical state

Melting point: approx. 0 °C

Boiling point or initial boiling point and boiling range: approx. 100 °C

Flash point: > 60 °C

Flammability

Solid/liquid: not applicable

Gas: not applicable

Self-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 25 °C): 1,02 g/cm³

Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Viscosity / dynamic:
(at 25 °C) < 10 mPa·s (50 1/s)

Relative vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 6 of 10

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|------------|------------------------|------------------|---------|----------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 97489-15-1 | sodium alkyl sulfonate | | | | |
| | oral | LD50 >2000 mg/kg | Rat | OECD 401 | |
| | dermal | LD50 >2000 mg/kg | Mouse | | |
| | inhalation aerosol | LC50 >5 mg/l | Rat | ATE | |
| 64-17-5 | ethanol | | | | |
| | oral | LD50 >2000 mg/kg | Rat | ATE | |
| | dermal | LD50 >2000 mg/kg | Rat | ATE | |
| | inhalation vapour | LC50 >20 mg/l | Rat | ATE | |
| 68891-38-3 | sodium laureth sulfate | | | | |
| | oral | LD50 >2000 mg/kg | Rat | | |
| | dermal | LD50 >2000 mg/kg | Rat | | |
| | inhalation aerosol | LC50 >5 mg/l | Rat | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Methylchloroisothiazolinone, Methylisothiazolinon. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 7 of 10

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

| CAS No | Chemical name | | | | | |
|------------|--------------------------|---------------|-----------|---------|-------------------------------------|----------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 97489-15-1 | sodium alkyl sulfonate | | | | | |
| | Acute fish toxicity | LC50 mg/l | 1-10 | 96 h | Danio rerio (zebrafish) | OECD 203 |
| | Acute algae toxicity | ErC50 mg/l | >61 mg/l | 72 h | Scenedesmus subspicatus | OECD 201 |
| | Acute crustacea toxicity | EC50 mg/l | 9,81 | 48 h | Daphnia magna (Big water flea) | OECD 202 |
| | Fish toxicity | NOEC mg/l | 0,85 | 28 d | Oncorhynchus mykiss (Rainbow trout) | OECD 204 |
| | Crustacea toxicity | NOEC mg/l | 0,36 | 22 d | Daphnia magna (Big water flea) | OECD 202 |
| 64-17-5 | ethanol | | | | | |
| | Acute fish toxicity | LC50 mg/l | >1000 | 96 h | | |
| | Acute algae toxicity | ErC50 mg/l | >100 | | | |
| | Acute crustacea toxicity | EC50 mg/l | >1000 | 48 h | | |
| 68891-38-3 | sodium laureth sulfate | | | | | |
| | Acute fish toxicity | LC50 | 7,1 mg/l | 96 h | | OECD 203 |
| | Acute algae toxicity | ErC50 mg/l | 27,7 | 72 h | | OECD 201 |
| | Acute crustacea toxicity | EC50 | 7,4 mg/l | 48 h | Daphnia magna (Big water flea) | OECD 202 |
| | Fish toxicity | NOEC | 1 mg/l | 45 d | | OECD 203 |
| | Algae toxicity | NOEC mg/l | 0,95 | 3 d | | OECD 201 |

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 8 of 10

| CAS No | Chemical name | Method | Value | d | Source |
|------------|---|------------|-------|----|--------|
| | | Evaluation | | | |
| 97489-15-1 | sodium alkyl sulfonate | | | | |
| | OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C | | 78% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | | |
| | OECD 301E/ EEC 92/69/V, C.4-B | | 89% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | | |
| | OECD 303/ EEC 92/69/V, C10 | | 96,2% | 34 | |
| | Readily biodegradable (according to OECD criteria). | | | | |
| 64-17-5 | ethanol | | | | |
| | OECD 301 | | >60% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | | |
| 68891-38-3 | sodium laureth sulfate | | | | |
| | OECD 301 | | >60% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | | |

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|------------------------|----------|
| 68891-38-3 | sodium laureth sulfate | 0,95-3,9 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.
Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 9 of 10

14.1. UN number: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of these transport regulations.
Marine pollutant: no

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): <30%

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,9,13,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BUZ® WINDOWMASTER

Revision date: 24.03.2021

G525

Page 10 of 10

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

| | |
|--------|---|
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH208 | Contains Methylchloroisothiazolinone, Methylisothiazolinon. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)